MATERIAL PROPERTY DATA SHEET



Talon Fabrics™ TF1084R

Geotextile • Woven Fabric • UV Stabilized •



DESCRIPTION

TF1084R is a woven geotextile fabric produced from high-tenacity polypropylene yarns. Production of Talon Fabrics includes internal manufacturing quality control testing in an on-site GAI-LAP (Geosynthetic Accreditation Institute 3-Laboratory Accreditation Program) certified laboratory. Physical properties of the material and expected test results are listed below.

	ſ	Material Content	Index Property	Test	M	A
arn	High	-tenacity polypropylene	Tensile Strength	ASTM D4632	665 x 790 lbs	
			CBR Puncture	ASTM D6241	2540 lbs	
Manufacture Process	Wov	en	Wide Width Tensile (Ultimate)	ASTM D4595	5700 x 7400 lbs/ft	
	S	tandard Roll Sizes	Wide Width Tensile @2%	ASTM D4595	875 x 1990 lbs/ft	
Width	15 ft	(4.5 m)	Wide Width Tensile @5%	ASTM D4595	1975 x 4235 lbs/ft	
ength ± 10%	300 ft	(91 m)	Wide Width Elongation	ASTM D4595	16% x 10%	
/eight ± 10%*	92 lbs	(42 kg)	Trapezoidal Tear	ASTM D4533	350 x 480 lbs	
rea	500 SY	(418 sm)	UV Resistance @ 500 hrs	ASTM D4355	90 %	
			Apparent Opening Size (AOS)	ASTM D4751	30 US STD SIEVE	
			Permittivity	ASTM D4491	1.1 sec-1	

Water Flow Rate

Disclaimer: The information contained herein may represent physical properties and expected values for specific tests at the time of manufacture, as part of routine quality analysis and control. While believed correct, and every effort for accuracy has been made, seller makes no warranties, express or implied, as to the accuracy of these values, fitness for a particular application, or compliance with any specification. Western Green and its affiliates make no warranty as to the test results obtained from evaluation of delivered material. This data sheet supersedes all previous versions for the style and is subject to change without notice. For further information, please feel free to contact Western Green.

©2024, Western Green.



Rev. 1.2024 Scan for additional and updated product information

ASTM D4491

75 gal/min/ft2



3056 lt/min/m2

westerngreen.com

Western Green • 4609 E. Boonville-New Harmony Rd. Evansville, IN 47725 • (800) 772-2040